


## Rivet - Push - Nylon 66 - BLACK



Part No.	Diameter (mm)	Panel Thickness (mm)		
12230	2.0	0.6 – 1.2		
12232	2.0	1.3 – 2.0		
12234	2.0	2.1 – 2.8		
12236	2.0	2.9 – 3.6		
12238	2.0	3.7 – 4.4		
12240	2.0	4.4 – 5.0		
12242	2.5	1.0 – 2.0	<p><b>Nylon Push Rivets are an economical, reusable method of securing parts together.</b></p>	
12244	2.5	2.0 – 3.0		
12246	2.5	2.7 – 3.6		
12248	2.5	3.4 – 4.3		
12250	2.5	4.3 – 5.2		
12252	2.5	5.1 – 6.0		
12254	3.0	1.0 – 2.0		
12256	3.0	2.0 – 3.0		
12258	3.0	3.0 – 4.0		
12260	3.0	4.0 – 5.0		
12262	3.0	5.0 – 6.0	<p><b>To use simply place rivet into pre-drilled hole and push head to secure.</b></p> <p><b>Lift head to unsecure and remove, rivets can be re-used.</b></p>	
12264	3.0	5.5 – 6.5		
12266	3.0	6.5 – 7.5		
12268	3.0	7.5 – 8.5		
12270	3.5	1.2 – 2.1		
12272	3.5	2.1 – 3.0		
12274	3.5	2.7 – 3.6		
				<p><b>Nylon Push Rivets resist corrosion and provide electrical protection.</b></p>

Part No.	Diameter (mm)	Panel Thickness (mm)
12276	3.5	3.0 – 4.0
12278	3.5	3.7 – 4.6
12280	3.5	4.5 – 5.5
12282	3.5	5.5 – 6.5
12284	4.0	2.4 – 3.4
12286	4.0	3.5 – 4.5
12288	4.0	4.5 – 5.5
12290	4.0	5.5 – 6.5
12292	4.0	6.5 – 7.5
12294	4.0	7.5 – 8.5
12296	4.0	9.0 – 10.5
12298	5.0	1.5 – 3.5
12300	5.0	2.5 – 3.5
12302	5.0	3.5 – 4.5
12304	5.0	4.5 – 5.5
12306	5.0	5.5 – 6.5
12308	5.0	6.5 – 7.5
12310	5.0	7.5 – 8.5
12312	6.0	2.5 – 4.0
12314	6.0	3.5 – 5.5

**Nylon Push Rivets are an economical, reusable method of securing parts together.**

**To use simply place rivet into pre-drilled hole and push head to secure.**

**Lift head to unsecure and remove, rivets can be re-used.**

**Nylon Push Rivets resist corrosion and provide electrical protection.**